

Consent form for COVID-19 vaccination

Before completing this form make sure you have read the information sheet on the vaccine you will receiving, either COVID-19 Vaccine AstraZeneca or Comirnaty (Pfizer). (Last updated: 30 July 2021)

About COVID-19 vaccination

People who have a COVID-19 vaccination have a much lower chance of getting sick from COVID-19.

There are two brands of vaccine in use in Australia. Both are effective and safe. Comirnaty (Pfizer) vaccine is preferred over COVID-19 Vaccine AstraZeneca for adults under 60 years of age.

You need to have two doses of the same brand of vaccine. The person giving you your vaccination will tell you when you need to have the second vaccination.

Medical experts have studied COVID-19 vaccines to make sure they are safe. Most side effects are mild. They may start on the day of vaccination and last for around 1-2 days. As with any vaccine or medicine, there may be rare and /or unknown side effects.

A very rare side effect of blood clotting (thrombosis) with low blood platelet levels (thrombocytopenia) has been reported following vaccination with the COVID-19 Vaccine AstraZeneca. This is not seen after Comirnaty (Pfizer) vaccine. For further information on the risk of this rare condition refer to the [Patient information sheet on AstraZeneca COVID-19 vaccine and thrombosis with thrombocytopenia syndrome \(TTS\)](#).

Tell your healthcare provider if you have any side effects after vaccination that you are worried about. You may be contacted by SMS within the week after receiving the vaccine to see how you are feeling after vaccination.

Some people may still get COVID-19 after vaccination. You must still follow public health precautions as required in your state or territory to stop the spread of COVID-19 including:

- keep your distance – stay at least 1.5 metres away from other people
- washing your hands often with soap and water, or use hand sanitiser
- wear a mask,
- stay home if you are unwell with cold or flu-like symptoms and arrange to get a COVID-19 test.

Vaccination providers record all vaccinations on the Australian Immunisation Register, as required by Australian law. You can view your vaccination record online through your:

- Medicare account
- MyGov account
- MyHealthRecord account

How is the information you provide used

For information on how your personal details are collected, stored and used visit

<https://www.health.gov.au/using-our-websites/privacy/privacy-notice-for-covid-19-vaccinations>.

On the day you receive your vaccine

Before you get vaccinated, tell the person giving you the vaccination if you:

- Have had an allergic reaction, particularly anaphylaxis (a severe allergic reaction) to a previous dose of a COVID-19 vaccine, to an ingredient of a COVID-19 vaccine, or to other vaccines or medications.
- Are immunocompromised. This means that you have a weakened immune system that may make it harder for you to fight infections and other diseases. You can still have a COVID-19 vaccine, but may wish to consider the best timing of vaccination depending on your underlying condition and/or treatment.

Consent form for COVID-19 Vaccination

Patient Information		Dose 1 or 2 (office use)						
Name:		Date of birth:						
Address:								
Phone number:		Medicare Card Number:						
email:		Gender: Male / Female / Other						
Next of kin (in case of emergency) Name:		Phone:						
Are you Aboriginal and / or Torres Strait Islander? <table style="margin-left: 20px; border: none;"> <tr> <td><input type="checkbox"/> Aboriginal</td> <td><input type="checkbox"/> No</td> </tr> <tr> <td><input type="checkbox"/> Torres Strait Islander</td> <td><input type="checkbox"/> Prefer not to answer</td> </tr> <tr> <td><input type="checkbox"/> Aboriginal and Torres Strait Islander</td> <td></td> </tr> </table>			<input type="checkbox"/> Aboriginal	<input type="checkbox"/> No	<input type="checkbox"/> Torres Strait Islander	<input type="checkbox"/> Prefer not to answer	<input type="checkbox"/> Aboriginal and Torres Strait Islander	
<input type="checkbox"/> Aboriginal	<input type="checkbox"/> No							
<input type="checkbox"/> Torres Strait Islander	<input type="checkbox"/> Prefer not to answer							
<input type="checkbox"/> Aboriginal and Torres Strait Islander								
Language spoken at home:								
Country of birth :								
Questions: Please answer the following questions: Please talk to your doctor if you have any questions or concerns before getting your COVID-19 vaccination.								
Yes	No							
		Have you had an allergic reaction to a previous dose of COVID-19 vaccine?						
		Have you had anaphylaxis to another vaccine or medication?						
		Have you had a serious adverse event, that following expert review was attributed to a previous dose of a COVID-19 vaccine?						
		Have you had COVID-19 before?						
		Do you have a bleeding disorder?						
		Do you take any medicine to thin your blood (an anticoagulant therapy)?						
		Do you have a weakened immune system (immunocompromised)?						
		Are you pregnant? *						
		Have you been sick with a cough, sore throat, fever or are feeling sick in another way?						
		Have you had a COVID-19 vaccination before?						
		Have you received any other vaccination in the last 7 days?						
<i>Relevant for AstraZeneca COVID-19 Vaccine only :</i>								
		Have you ever been diagnosed with capillary leak syndrome?						
		Have you had major venous and/or arterial thrombosis in combination with thrombocytopenia, including diagnosed Thrombotic Thrombocytopenic Syndrome (TTS), following a previous dose of a COVID-19 vaccine?						
		Have you ever had cerebral venous sinus thrombosis? *						
		Have you ever had heparin-induced thrombocytopenia? *						
		Have you ever had blood clots in the abdominal veins? *						
		Have you ever had antiphospholipid syndrome associated with blood clots? *						

		Are you under 60 years of age? *
--	--	----------------------------------

* If Comirnaty is not available, AstraZeneca COVID-19 vaccine can be considered for people in these groups, if the benefits of vaccination outweigh the risk. For more information refer to the: [Patient information sheet on thrombosis with thrombocytopenia syndrome \(TTS\)](#)

Relevant only for those receiving Comirnaty:

Yes	No	
		Have you ever had myocarditis or pericarditis?
		Do you currently have, or have you recently had acute rheumatic fever or endocarditis?
		Do you have congenital heart disease?
		For people under 30 years of age: do you have dilated cardiomyopathy?
		Are you a recipient of a heart transplant?

Consent to receive COVID-19 vaccine

- I confirm I have received and understood information provided to me on COVID-19 vaccination.
- I confirm that none of the conditions above apply, or I have discussed these and/or any other special circumstances with my regular health care provider and / or vaccination service provider.
- I agree to receive a course of COVID-19 (two doses of the same vaccine)

Patient name: _____

Patient signature: _____ Date: / /

- I am the patient's guardian or substitute decision-maker, and agree to COVID-19 vaccination of the patient named above.

Guardian / substitute decision-maker's name: _____

Guardian / substitute decision maker's signature: _____ Date / /

For Provider use:

Dose 1:	Date vaccine administered	
	Time received	
	COVID-19 vaccine brand administered	
	Batch number	
	Serial number	
	Site of vaccine injection	
	Name of vaccination service provider	

Dose 2:	Date vaccine administered	
	Time received	
	COVID-19 vaccine brand administered	
	Batch number	
	Serial number	
	Site of vaccine injection	
	Name of vaccination service provider	

